



Population & Demography / Adult Mortality

Table 27.1: Fitted national life tables using reported and adjusted age and sex-specific death rates and referring to 2012.79, the mid-point of the 12-month period prior to the census

Using reported ASDRs			Adjusted ASDRs by BGBM			Adjusted ASDRs by PCM		
Age (x)	Females	Males	Age (x)	Females	Males	Females	Males	
0.0	1.0	1.0	0*	1.0	1.0	1.0	1.0	
			1*	1.0	1.0	1.0	1.0	
5.0	0.9	0.9	5.0	1.0	0.9	1.0	0.9	
10.0	0.9	0.9	10.0	0.9	0.9	0.9	0.9	
15.0	0.9	0.9	15.0	0.9	0.9	0.9	0.9	
20.0	0.9	0.9	20.0	0.9	0.9	0.9	0.9	
25.0	0.9	0.9	25.0	0.9	0.9	0.9	0.9	
30.0	0.9	0.9	30.0	0.9	0.9	0.9	0.9	
35.0	0.8	0.9	35.0	0.9	0.9	0.9	0.9	
40.0	0.8	0.8	40.0	0.9	0.9	0.8	0.8	
45.0	0.8	0.8	45.0	0.9	0.9	0.8	0.8	
50.0	0.7	0.8	50.0	0.8	0.8	0.7	0.8	
55.0	0.7	0.7	55.0	0.8	0.8	0.7	0.7	
60.0	0.7	0.7	60.0	0.8	0.8	0.7	0.7	
65.0	0.6	0.6	65.0	0.7	0.7	0.6	0.6	
70.0	0.5	0.5	70.0	0.7	0.7	0.5	0.5	
75.0	0.4	0.4	75.0	0.6	0.6	0.4	0.4	
80.0	0.3	0.3	80.0	0.5	0.5	0.3	0.3	
85 +	0.2	0.2	85 +	0.4	0.3	0.2	0.2	
Implied 5q0 =	55.0	66.0		48.0	63.0	48.0	63.0	
Implied 45q15 =	291	273		159	173	294	276	
Implied eo0 =	63.9	63.2		78.0	72.5	64.0	63.2	

Source: Census 2013